## **Amendment to the Claims:**

This listing of claims will replace all prior versions of claims in the application:

- 1. (Canceled)
- 2. (Currently amended) The non-woven material of claim [[1]] 23 wherein said fibers have a length of less than 5 cm.
- 3. (Currently amended) The non-woven material of claim [[1]] 23 wherein said fibers have a length of less than 2 cm.
- 4. (Currently amended) The non-woven material of claim [[1]] 23 comprising 50 to 98 percent by weight of fibers.
- 5. (Currently amended) The non-woven material of claim [[1]] 23 comprising 70 to 85 percent by weight of fibers.
- 6. (Currently amended) The non-woven material of claim [[1]] 23 wherein said <u>non-woven</u> material has a binder add-on of from 2 to 50 percent by weight.
- 7. (Canceled)
- 8. (Currently amended) The non-woven material of claim [[1]] 23 wherein said binder further comprises at least one component selected from the group consisting of plasticizers, tackifiers, fillers, humectants, surfactants, salts, fragrances, pigments, titanium dioxide, and encapsulated components.
- 9. (Currently amended) The non-woven material of claim [[1]] 23 having a web basis weight of from 20 to 200 gsm.

- 10. (Currently amended) A non-woven article comprising the non-woven material of claim [[1]] 23.
- 11. (Original) The non-woven article of claim 9 further comprising a lotion containing at least one ingredient selected from the group consisting of sodium chloride solution, preservatives, boric acid, bicarbonates, moisturizers, emollients, surfactants, humectants, alcohols, water, and fragrances.
- 12. (Original) The non-woven article of claim 9 further comprising at least 0.5 percent by weight of inorganic salt, or a mixture of inorganic salts.
- 13. (Currently amended) The non-woven material of claim [[1]] 23, wherein said material has a wet tensile strength in 3 percent aqueous inorganic salt solution of at least 100 g/in, and a wet tensile strength in tap water of at least 40 g/in.
- 14. (Canceled)
- 15. (Canceled)
- 16. (Currently amended) The airlaid non-woven material according to claim 15 25, wherein the web includes wood pulp fibers which have a length of less than 0.5 cm.
- 17. (Canceled)
- 18. (Currently amended) The nonwoven material according to claim 47 22, wherein the hydrophilic monomer is selected from the group consisting of an acidic monomer containing a carboxylic acid moiety, dicarboxylic acid moiety, a sulfonic acid moiety, or combinations thereof.

- 19. (Currently amended) The nonwoven material according to claim 17 22, wherein the hydrophilic monomer is selected from the group consisting of acrylic acid, methacrylic acid, and combinations thereof.
- 20. (Currently amended) The nonwoven material according to claim 17 22, wherein the non-hydrophilic monomer is selected from the group consisting of (meth)acrylates, maleates, (meth) acrylamides, vinyl esters, and combinations thereof.
- 21. (Currently amended) The nonwoven material according to claim <del>17</del> <u>22</u>, wherein the non-hydrophilic monomer includes (meth)acrylates.
- 22. (New) A non-woven material comprising:
  - a) a web of fibers; and
  - b) a latex polymer binder applied to the web of fibers, wherein said latex polymer binder has a glass transition temperature of from -40°C to 105°C and comprises:
    - i) a polymer component which includes from 1 to 100 weight percent of a hydrophilic monomer, and from 0 to 99 percent by weight of at least on non-hydrophilic monomer

and

ii) a polymeric colloid component, wherein said polymer component is emulsion polymerized using said colloid component as a stabilizer, and wherein said latex polymer composition forms films that are dispersible in tap water, and non-dispersible in aqueous solutions containing 0.5 weight percent or more of an inorganic salt.

- 23. (New) A non-woven material comprising:
  - a) a web of fibers; and
  - b) a latex polymer binder applied to the web of fibers, wherein said latex polymer binder has a glass transition temperature of from -40°C to 105°C and comprises:

i) a polymer component which includes at least one hydrophilic monomer selected from the group consisting of acidic monomers containing a carboxylic acid moiety, dicarboxylic acid moiety, a sulfonic acid moiety, or combinations thereof; and at least one non-hydrophilic monomer selected from the group consisting of (meth) acrylates, maleates, (meth) acrylamides, vinyl esters, and combinations thereof,

and

- ii) a polymeric colloid component, wherein said polymer component is emulsion polymerized using said colloid component as a stabilizer, and wherein said latex polymer composition forms films that are dispersible in tap water, and non-dispersible in aqueous solutions containing 0.5 weight percent or more of an inorganic salt.
- 24. (New) The non-woven material according to claim 23, wherein the colloid is present in the latex polymer in amounts of from 1 to 75 weight percent based on polymer solids.
- 25. (New) The non-woven material according to claim 23, wherein the web of fibers are airlaid fibers including wood pulp fibers which have a length of less than 2 cm.